

HISE Standalone project Group

Validate Project Settings Group

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/Builds/MacOSX/

HISE Standalone.xcodeproj Update to recommended settings

HISE Standalone - App Group

Semantic Issue Group

/HISE-scriptnode/hi_sampler/sampler/components/SampleMapEditor.h:491:5: No member named 'writeToConsole' in 'hise::MainController'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/

include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/

HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:

/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../

HISE-scriptnode/hi_backend/hi_backend.mm:1:

/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../

HISE-scriptnode/hi_backend/hi_backend.cpp:34:

/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

JuceHeader.h:17:

/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../

HISE-scriptnode/hi_backend/hi_backend.h:55:

/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../

HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:

/HISE-scriptnode/hi_scripting/hi_scripting.h:76:10: In file included from ../../../../

HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:76:

/HISE-scriptnode/hi_sampler/hi_sampler.h:90:10: In file included from ../../../../

HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/../../hi_sampler/hi_sampler.h:90:

/HISE-scriptnode/hi_core/Macros.h:45:51: Expanded from macro 'debugError'

/HISE-scriptnode/hi_scripting/scripting/HardcodedScriptProcessor.h:110:4: No

member named 'writeToConsole' in 'hise::MainController'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/

include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/

HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:

/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../

HISE-scriptnode/hi_backend/hi_backend.mm:1:

/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../

HISE-scriptnode/hi_backend/hi_backend.cpp:34:

/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

JuceHeader.h:17:

/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../

HISE-scriptnode/hi_backend/hi_backend.h:55:

/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../

HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:

/HISE-scriptnode/hi_scripting/hi_scripting.h:154:10: In file included from ../../../../

HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:154:

/HISE-scriptnode/hi_core/Macros.h:44:55: Expanded from macro 'debugToConsole'

/HISE-scriptnode/hi_modules/modulators/mods/LFOModulator.h:169:3: No member named 'writeToConsole' in 'hise::MainController'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/

include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/

HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:

/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:89:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:89:
/HISE-scriptnode/hi_core/Macros.h:44:55: Expanded from macro 'debugToConsole'
/HISE-scriptnode/hi_backend/backend/BackendProcessor.h:90:3: Use of undeclared
identifier 'writeToConsole'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:61:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:61:
/HISE-scriptnode/hi_backend/backend/BackendProcessor.h:99:4: No member
named 'writeToConsole' in 'hise::MainController'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:61:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:61:
/HISE-scriptnode/hi_core/Macros.h:45:51: Expanded from macro 'debugError'
/HISE-scriptnode/hi_backend/backend/BackendProcessor.h:102:4: No member
named 'writeToConsole' in 'hise::MainController'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:61:10: In file included from ../../../../

HISE-scriptnode/hi_backend/hi_backend.h:61:
/HISE-scriptnode/hi_core/Macros.h:44:55: Expanded from macro 'debugToConsole'
/HISE-scriptnode/hi_backend/backend/BackendApplicationCommands.h:233:35: No
member named 'getCurrentViewInfo' in 'hise::ModulatorSynthChain'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:66:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:66:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:220:2: Unknown type name
'ProcessorEditorContainer'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:234:30: Unknown type name
'PluginPreviewWindow'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:283:16: Use of undeclared
identifier 'ProcessorEditorContainer'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:

/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:303:16: Use of undeclared identifier 'PluginPreviewWindow'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:113:36: Cannot initialize object parameter of type 'const hise::FloatingTileContent' with an expression of type 'const hise::BackendProcessorEditor'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:123:24: Cannot initialize object parameter of type 'hise::FloatingTileContent' with an expression of type 'hise::BackendProcessorEditor'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:125:21: Cannot initialize object parameter of type 'const hise::ObjectWithDefaultProperties' with an expression of type 'hise::BackendProcessorEditor'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/

HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:140:32: Cannot initialize
object parameter of type 'const hise::FloatingTileContent' with an expression of type
'const hise::BackendProcessorEditor'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:153:32: Cannot initialize
object parameter of type 'const hise::FloatingTileContent' with an expression of type
'const hise::BackendProcessorEditor'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:177:4: Incomplete type
'hise::ProcessorEditor' named in nested name specifier
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:67:

/HISE-scriptnode/hi_dsp/Processor.h:40:7: Forward declaration of
'hise::ProcessorEditor'
/HISE-scriptnode/hi_backend/backend/BackendEditor.h:179:37: Use of undeclared
identifier 'iter'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:67:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:67:
/HISE-scriptnode/hi_backend/backend/BackendRootWindow.h:103:2: Unknown type
name 'FloatingTileDocumentWindow'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:68:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:68:
Value Conversion Issue Group
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:282:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

ScriptDspModules.h:283:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:284:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:285:17: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:369:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:370:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

ScriptDspModules.h:371:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:372:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:373:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

```

JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:374:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:375:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

```

ScriptDspModules.h:376:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:377:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:378:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:379:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:380:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

ScriptDspModules.h:381:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:665:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:666:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:888:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:889:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

ScriptDspModules.h:890:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
 /HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
 /HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
 /JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
 /HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
 /HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
 /HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
 /HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'

/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
 ScriptDspModules.h:1027:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
 /HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
 /HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
 /JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:
 /HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
 /HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
 /HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
 /HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'

/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
 ScriptDspModules.h:1193:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
 /HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
 /HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
 /JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

```

JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1194:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1195:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

```

ScriptDspModules.h:1196:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:

/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'

/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1197:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:

/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'

/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1198:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1199:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1200:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

ScriptDspModules.h:1201:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:

/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'

/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

ScriptDspModules.h:1376:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/JuceHeader.h:17:

/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded from macro 'FILL_PARAMETER_ID'

/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/

ScriptDspModules.h:1377:5: Implicit conversion loses integer precision: 'size_t' (aka 'unsigned long') to 'int'

/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/

```

JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1731:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1877:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1878:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../

```

HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1879:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1880:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../

HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:1881:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ././././././
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ././././././
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ././JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ././././././
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ././././././
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ././././././
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:2137:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ././././././
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ././././././
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ././JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ././././././
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ././././././
HISE-scriptnode/hi_backend/./hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ././././././
HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:2138:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ././././././

HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:2139:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/../../hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
/HISE-scriptnode/hi_scripting/scripting/scripting_audio_processor/
ScriptDspModules.h:2140:5: Implicit conversion loses integer precision: 'size_t' (aka
'unsigned long') to 'int'
/Users/macdevelop/Desktop/HISE-scriptnode/projects/standalone/JuceLibraryCode/
include_hi_backend.mm:9:10: In file included from /Users/macdevelop/Desktop/
HISE-scriptnode/projects/standalone/JuceLibraryCode/include_hi_backend.mm:9:
/HISE-scriptnode/hi_backend/hi_backend.mm:1:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.mm:1:
/HISE-scriptnode/hi_backend/hi_backend.cpp:34:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.cpp:34:
/JuceLibraryCode/JuceHeader.h:17:10: In file included from ../../JuceLibraryCode/
JuceHeader.h:17:
/HISE-scriptnode/hi_backend/hi_backend.h:55:10: In file included from ../../../../
HISE-scriptnode/hi_backend/hi_backend.h:55:
/HISE-scriptnode/hi_modules/hi_modules.h:57:10: In file included from ../../../../
HISE-scriptnode/hi_backend/../../hi_modules/hi_modules.h:57:
/HISE-scriptnode/hi_scripting/hi_scripting.h:100:10: In file included from ../../../../

HISE-scriptnode/hi_backend/./hi_modules/./hi_scripting/hi_scripting.h:100:
/HISE-scriptnode/hi_dsp_library/dsp_library/HiseLibraryHeader.h:180:94: Expanded
from macro 'FILL_PARAMETER_ID'
Uncategorized Group
Too many errors emitted, stopping now